VRRP □□□□□

www.huawei.com

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

[illegible]

[illegible] VRRP [illegible]

VRRP [illegible] VRRP [illegible]

[illegible] Master [illegible] Master [illegible]

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□□

□□□□□□□□□□□□□

- □□VRRP□□□□□
- □□VRP□□□VRRP□□□

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□□□ VRRP □



Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□ VRRP □



Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□□□□□□□□□ ID □□□ IP □□

```
<RTA>display vrrp interface Ethernet 0/0
 Ethernet 0/0 | Virtual Router 1
    State : Master
    Virtual IP : 10.1.1.254
    Master IP : 10.1.1.251
    PriorityRun : 200
    PriorityConfig : 200
    MasterPriority : 200
    Preempt : YES   Delay Time : 0
    TimerRun : 1 s
    TimerConfig : 1 s
    Auth Type : NONE
```

□ RTA □□□□□□□□ ID □ 1 □ IP □□□ 10.1.1.254

```
<RTB>display vrrp interface Ethernet 0/0
 Ethernet 0/0 | Virtual Router 1
    State : Master
    Virtual IP : 10.1.1.254
    Master IP : 10.1.1.252
    PriorityRun : 150
    PriorityConfig : 150
    MasterPriority : 200
    Preempt : YES   Delay Time : 0
    TimerRun : 1 s
    TimerConfig : 1 s
    Auth Type : NONE
```

□ RTB □□□□□□□□ ID □ IP □□□□□□□□

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□ Priority □□ Master



Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□ Priority □□ Master

```
<RTB>display vrrp interface Ethernet 0/0
 Ethernet 0/0 | Virtual Router 1
    State : Master
    Virtual IP : 10.1.1.254
    Master IP : 10.1.1.252
    PriorityRun : 200
    PriorityConfig : 200
    MasterPriority : 200
    Preempt : YES   Delay Time : 0
    TimerRun : 1 s
    TimerConfig : 1 s
    Auth Type : NONE
```

Priority □□□□□ Master

```
<RTA>display vrrp interface Ethernet 0/0
 Ethernet 0/0 | Virtual Router 1
    State : Backup
    Virtual IP : 10.1.1.254
    Master IP : 10.1.1.251
    PriorityRun : 100
    PriorityConfig : 100
    MasterPriority : 200
    Preempt : YES   Delay Time : 0
    TimerRun : 1 s
    TimerConfig : 1 s
    Auth Type : NONE
```

Priority □□□□□ Backup

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□ Priority □□ 255



Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□ Priority □□ 255

```
<RTA>display vrrp interface Ethernet 0/0
 Ethernet 0/0 | Virtual Router 1
    State : Master
    Virtual IP : 10.1.1.254
    Master IP : 10.1.1.254
    PriorityRun : 255
    PriorityConfig : 100
    MasterPriority : 255
    Preempt : YES   Delay Time : 0
    TimerRun : 1 s
    TimerConfig : 1 s
    Auth Type : NONE
```

IP □□□□□□ Run Priority □ 255

```
<RTB>display vrrp interface Ethernet 0/0
 Ethernet 0/0 | Virtual Router 1
    State : Backup
    Virtual IP : 10.1.1.254
    Master IP : 10.1.1.252
    PriorityRun : 200
    PriorityConfig : 200
    MasterPriority : 255
    Preempt : YES   Delay Time : 0
    TimerRun : 1 s
    TimerConfig : 1 s
    Auth Type : NONE
```

□□ RTB □ Config Priority □□□□□□ RTB □□□ Backup

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.



Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□□□□□□□□□□ RTA

```
<Quidway>system-view
[Quidway]sysname RTA
[RTA]interface Ethernet 0/0
[RTA-Ethernet0/0]ip address 10.1.1.251 24
[RTA-Ethernet0/0]vrrp vrid 1 virtual-ip 10.1.1.254
```

□□□□ IP □□

□□□□□□□□□□□ ID □
1 □ IP □□□ 10.1.1.254

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□□□□□□□□□□ RTB

```
<Quidway>system-view
[Quidway]sysname RTB
[RTB]interface Ethernet 0/0
[RTB-Ethernet0/0]ip address 10.1.1.252 24
[RTB-Ethernet0/0]vrrp vrid 1 virtual-ip 10.1.1.254
[RTB-Ethernet0/0]vrrp vrid 1 priority 200
```

□ RTA □□□□ VRID □
□□ IP □□□□

□□□□□□□ 1 □
Priority □ 200

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

[illegible]



Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□□□□□□□□□□RTA

```
<Quidway>system-view
[Quidway]sysname RTA
[RTA]interface Ethernet 0/0
[RTA-Ethernet0/0]ip address 10.1.1.251 24
[RTA-Ethernet0/0]vrrp vrid 1 virtual-ip 10.1.1.100
[RTA-Ethernet0/0]vrrp vrid 1 priority 200
[RTA-Ethernet0/0]vrrp vrid 2 virtual-ip 10.1.1.200
```

□□□□□1□Priority□200

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

[illegible] RTB

```
<Quidway>system-view
[Quidway]sysname RTB
[RTB]interface Ethernet 0/0
[RTB-Ethernet0/0]ip address 10.1.1.252 24
[RTB-Ethernet0/0]vrrp vrid 1 virtual-ip 10.1.1.100
[RTB-Ethernet0/0]vrrp vrid 2 virtual-ip 10.1.1.200
[RTB-Ethernet0/0]vrrp vrid 2 priority 200
```

[illegible] 2 [illegible]
Priority [illegible] 200

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

[illegible]



Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

HUAWEI

□□□□□□□□□□□ RTA

```
<Quidway>system-view
[Quidway]sysname RTA
[RTA]interface Ethernet 0/0
[RTA-Ethernet0/0]ip address 10.1.1.251 24
[RTA-Ethernet0/0]vrrp vrid 1 virtual-ip 10.1.1.254
```

VR 1 □
Priority □□□□
100

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□□□□□□□□□ RTB

```
<Quidway>system-view
[Quidway]sysname RTB
[RTB]interface Ethernet 0/0
[RTB-Ethernet0/0]ip address 10.1.1.252 24
[RTB-Ethernet0/0]vrrp vrid 1 virtual-ip 10.1.1.254
[RTB-Ethernet0/0]vrrp vrid 1 priority 200
[RTB-Ethernet0/0]vrrp vrid 1 track interface Ethernet 1/0 reduced 150
```

□□ E1/0 □□□□□□□□□□ 1 □ Priority □□ 150 □□□ 50

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□□□□□□□□□□□VRRP□□

```
<RTA>display vrrp interface Ethernet 0/0
 Ethernet 0/0 | Virtual Router 1
    State : Master
    Virtual IP : 10.1.1.254
    Master IP : 10.1.1.251
    PriorityRun : 100
    PriorityConfig : 100
    MasterPriority : 100
    Preempt : YES   Delay Time : 0
    TimerRun : 1 s
    TimerConfig : 1 s
    Auth Type : NONE

<RTB>display vrrp interface Ethernet 0/0
 Ethernet 0/0 | Virtual Router 1
    State : Backup
    Virtual IP : 10.1.1.254
    Master IP : 10.1.1.252
    PriorityRun : 50
    PriorityConfig : 200
    MasterPriority : 100
    Preempt : YES   Delay Time : 0
    TimerRun : 1 s
    TimerConfig : 1 s
    Auth Type : NONE
    Track IF : Ethernet1/0   Priority reduced : 150
```

E1/0 □□□ Run Priority □□ 50

□□□□ Ethernet1/0

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

□ □

□□□□□ VRRP □

□□□ VRRP □

□□□□□□□□□□□□

□□□□ Master □

□□□ Priority □□□□□

□□□□□□□□□□□□

□□□□□□□□□□□□

VRRP □□□□□□□□□□□□□□□□□

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

[illegible]

[illegible](learning.huawei.com [illegible]

- **1 [illegible] E-learning [illegible]**
  - [illegible] **E-Learning** [illegible]
  - [illegible]“[illegible]”[illegible]“ email [illegible]”[illegible] *Learning@huawei.com* *[illegible]*
- **2 [illegible]**
  - [illegible] **+** [illegible]
  - [illegible]“[illegible] / [illegible]”[illegible]
- **3 [illegible] (LVC) [illegible]**
  - [illegible] UC&C [illegible]
  - [illegible] *http://support.huawei.com/ecommunity/bbs/10154479.html*
- **4 [illegible] eNSP**
  - eNSP (Enterprise Network Simulation Platform), [illegible]
- [illegible], [illegible] [illegible][illegible]
  http://support.huawei.com/ecommunity/bbs/list_2247.html [illegible]

Copyright © 2012 Huawei Technologies Co., Ltd. All rights reserved.

HUAWEI

www.huawei.com